Acoustic Panels




Collections: Etch Panel

Applications: Walls, Ceilings



Etch Panel Topo Detail - Parchment





Etch Panel Topo

Acoustic Panels

Zintra Etch pairs acoustic performance with sculptural detail. Topo layers broad, tapering lines with curved negative space to create a flowing layout that shifts with perspective and light—designed for visual movement and acoustic balance.

✓ Acoustic	✓ Bleach Cleanable ✓ Easy Clean	
✓ Easy Install		
Description	Zintra Etch, where acoustic absorption meets dynamic 3D design. With a rang subtle textures, Zintra Etch brings cutting-edge aesthetics and acoustic functionality to your commercial, hospitality, or institutional interior.	je of
	Discover the extensive selection of understated to statement Colours in Zintr Etch, allowing you to create a welcoming atmosphere while effectively manag sound. This cost-effective sound and design solution cultivates calming environments, promoting productivity and well-being.	
	Zintra Etch seamlessly integrates with plain Zintra panels, offering versatility design coordination.	in
	Experience the benefits of Zintra Etch, including pattern matching with seam hidden joins (excluding VJ Angle and Kaleido). The panel size enables join-free installations from floor to ceiling, making the fitting process effortless.	
	Topo features a series of widening grooves that taper into finer lines, with a fl layout creating purposeful negative space between each row. This design offe dynamic, layered effect that shifts with light, adding depth and texture. When rotated 180 degrees, Topo transforms, offering a fresh perspective and altering play of light and shadow.	ers a
	Zintra Etch is available in 24 great designs	
	Billow   Craze   Cubix   Deviate   Demi   Imbue   Kaliedo   Lamella   Reed Bed   S Spectrum   Suffuse   Tesselate   Tetris   Topo   Torus   Troupe   Venn   Verge   V VJ Board Angle   VJ Board Narrow   VJ Board Wide   Volta	
	Our latest Zintra Etch explore a refined interplay of depth, width and assorted Cut angles – introducing sculptural dimension and fluid movement that shift light and perspective.	
	Not suitable as a free standing product.	
Composition	Zintra Acoustic Panel - 95% Polyester + 5% PLA	
	12mm (1/2") -Density 2.4 kg /m² 0.5 lb/ft134	
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	



Supplied As	Ships Flat Packed.  Go to the Technical Documents and download the Installation Guide for more details.
Assembly & Delivery	Ships Flat Packed.  Go to the Technical Documents and download the Installation Guide for more details.
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.
Care Instructions	Vacuum to remove dust.  Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.  For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.  Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Warranty	5-year warranty. Visit <b>baresque.com.au/warranty</b> for complete details.
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.
Additional Comments	Directly Mounted 0.45   With 2" (50mm) air gap 0.85   With 6" (152mm) air gap 0.90
How to Specify	Select Design     Select Zintra Colour




#### Color & Finish Options

#### Zintra 12mm Solid PET









Zintra Premium Material



Acoustic Panels



#### Zintra Studio Colours Pebble











Stone

#### Zintra Studio Colours Frost







