Acoustic Baffles



1 of 8

Brand: **Zintra**

Collections: Box Baffles

Applications: Walls



Acoustic Baffles






Box Baffle Uniform Slim - Direct Mount





Acoustic Baffles




















Acoustic Baffles





Acoustic Baffles

A sleek, modern ceiling solution balancing coverage, sound control, and design. The shallowest Box Baffle at 3.5" (90mm), Uniform Slim creates maximum coverage with 15 baffles per system.

Description

Zintra Box Baffles Systems are prefabricated, ceiling-mounted systems that bring rhythm, dimension, and high-performance acoustics to any space. Suspended in perfectly spaced rows, the box-shaped design not only looks substantial but also improves sound absorption, capturing noise within and increasing the NRC rating. Lightweight, modular, and scalable, these systems are easy to assemble, easy to install, and a visually striking alternative to traditional mineral fibre ceilings.

Uniform Slim Box Baffle Systems

Has the shallowest depth at 3.5" (90mm) and 15 baffles per system. Its slim profile delivers maximum coverage with a light, elegant ceiling line that controls sound without overwhelming the space.

Available in two sizes, 39" (1000mm) w x 94.5" (2400mm) d and 93" (2362mm) w x 94.5" (2400mm) d, Slim is ideal for projects that call for subtle impact with strong acoustic performance.

Design Options

Choose from uniform or mixed Box Baffle Systems to suit your design vision. Uniform Slim, Wide, Span, and Grand offer clean, linear profiles, while Freeform layers Slim, Wide, and Span for subtle variation. Fusion combines all four sizes for bold, architectural statements.

With a wide array of designs, Zintra Box Baffles are ideal for large, noisy spaces such as educational institutions, shopping centres, restaurants, and airports, where performance meets aesthetic appeal.

Dimensions

1000 mm (39") w x 2400mm (94.5") d x 90mm (3.5") h

2362mm (93") w x 2400mm (94.5") d x 90mm (3.5") h

Supplied As

15 Baffles

60 | 150 x 1" (25mm) Clear Beams Clips

2 | 3 x 1" (25mm) Cross Runner (Standard Black)

4 | 6 End Caps

3 x ASK's (per cross runner)

Suggested Installation

Be sure to support the panel during installation to avoid bowing or creasing.

Fix wire to floor and ceiling leaving a gap between to fit screen.

Adjust pivoting support to desire height, fit screen.

Download the Handling and Installation guide for full instructions.



Acoustic Baffles

Care	Instructions	Vacuum	to	remove	dust.

Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

Customisable

The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.

Additional Comments Without Air Gap: Up to 0.90 | With 610mm (24") Air Gap: Up to 0.95

How to Specify

1. Space Size

2. Layout Of Baffles Within Space

3. Baffle Depth

4. Installation | System or Set | 5. Hardware

6. Select Connection Method

7. Select Colour



Acoustic Baffles

Color & Finish Options

